



## Seating Upholstery Alliance Program

Maharam Customer Service 800.645.3943 or customerservice@maharam.com

Order memo samples through Maharam Customer Service, Alliance website page or www.maharam.com

All patterns not listed must be ordered as COM

This document is considered the most up-to-date listing of Maharam graded-in patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge.

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Abacus	K	2	<b>01.21:</b> 001 <b>05.20:</b> 002, 006, 008	54% Post-Industrial Recycled Polyester, 46% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Across	K	1	<b>1.22:</b> 001,002,003,005,006,007,008,009,010,011 Restricted on <b>Nash</b>	100% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Akimbo	L	3	<b>01.22:</b> 002 <b>01.21:</b> 001, 007 <b>05.20:</b> 004, 005	100% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Alter	J	1,2	<b>01.22:</b> 001,004,005,006 <b>01.21:</b> 002, 003 <b>05.20:</b> 007	59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Ample	M	2		100% Polyester	None	Polyurethane Foam	No	TB133 Burn Test Required
Apt	J	None	Restricted on Grin	100% Polyurethane/Silicone	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Article	E	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Beam	K	None	<b>07.10.20:</b> Color 007 discontinued immediately due to unforeseen closure	58% Polyester, 42% Rayon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Beck	I	3		78% Wool, 22% Nylon	NONE	NONE	No	TB133 Burn Test Required
Beryl	I	None		100% Polyurethane/Silicone	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Beside	K	None	01.22: 007 01.21: 001 04.19: 009	66% Polyester, 34% Cotton	Crypton	Crypton	No	TB133 Burn Test Required
Bitmap	G	1	01.22: 005,006,007,010,012 01.21: 002 04.19: 003, 008, 009, 011	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Blip	R	2	01.21: 006, 007, 008 05.20: 004 04.19: 001	44% Rayon, 24% Solution-Dyed Nylon, 21% Post-Industrial Recycled Polyester, 11% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bluff	H	None		100% Polyurethane	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Bond	M	2		100% Non-Phthalate Vinyl	Polyester	Protective Topcoat	No	TB133 Burn Test Required
Boundary	K	2	01.22: 006 04.19: 009	100% Non-Phthalate Vinyl	Polyester	Protective Topcoat	No	TB133 Burn Test Required
Bright Angle	N	2		40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bright Cube	Q	2		40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bright Grid	N	2		39% Cotton, 32% Polyester, 29% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Brindle	C	None		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Brio	H	None		55% Polyester, 29% Post-Industrial Recycled Polyester, 16% Post-Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Buffer	R	2		81% Post-Consumer Recycled Polyester, 19% Polyester	None	None	No	TB133 Burn Test Required
Bureau	G	2		41% Polyester, 38% Post-Industrial Recycled Polyester, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Bushel	J	3		45% Solution-Dyed Nylon, 45% Solution-Dyed Post-Industrial Recycled Nylon, 9% Polyester, 1% Polyolefin	None	Acrylic	No	TB133 Burn Test Required
Campana	K	3		85% Wool, 15% Nylon	None	None	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Candid	F	1	<b>1.22:</b> 001,002,005,006,007 <b>04.19:</b> 003	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Candor	F	None	<b>02.22:</b> 015 <b>01.22:</b> 025 <b>11.21:</b> 012 <b>06.21:</b> 006, 018 <b>04.21:</b> 019, 026 <b>02.21:</b> 003, 005, 007, 009, 028 <b>01.21:</b> 008, 020, 024 <b>12.20:</b> 002 <b>11.20:</b> 004 <b>10.20:</b> 016	70% Post-Industrial Recycled Cotton, 30% Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Caper	C	None		100% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Chalet	K	2	<b>05.20:</b> 003	100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Chasm	I	1		100% Polyurethane	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Chassis	I	3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Checker	Q - Moving from Gr Q to Gr S March 2022	2		77% Cotton, 23% Polyester	PFOA-Free Stain Resistant	None	No	
Chenille Cord	L	3	<b>01.21:</b> 006 <b>05.20:</b> 010, 018, 030 <b>04.19:</b> 032, 034, 035, 036	43% Solution-Dyed Post-Industrial Recycled Nylon, 42% Solution-Dyed Nylon, 13% Polyester, 2% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Chime	G	None	<b>07.10.20:</b> Color 004 discontinued immediately due to unforeseen closure <b>05.20:</b> 007, 010, 018, 023, 033 <b>04.19:</b> 024, 025, 026, 027, 028, 029, 030	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Circuit	H	2		38% Rayon, 34% Post-Industrial Recycled Polyester, 28% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coast	L	2	01.22: 001	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Coin	I	2	01.22: 003 01.21: 004 04.19: 002	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coin Crypton	L	2	05.20: 001 04.19: 002, 003, 004	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Coincide	K	2,5	01.22:001,002,003,004,005,006,007,008,009,010,011	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coincide High Performance	J	2	01.22: 002,003,011 01.21: 004 04.19: 007, 010	100% Polyester	Stain Resistant	Impermeable	No	TB133 Burn Test Required
Colline	J	3		75% Wool, 17% Acrylic, 8% Nylon	None	None	No	TB133 Burn Test Required
Compound	I	None		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Conduit	C	None		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cosset	I	None		66% Acrylic, 34% Polyester	None	None	No	TB133 Burn Test Required
Cove	N	None		30% Polyester, 27% Linen, 25% Rayon, 18% Cotton	None	Acrylic	No	TB133 Burn Test Required
Crew	I	1	07.21: 010 07.20: Colors 001, 002, 005, 008 discontinued immediately due to unforeseen closure 04.19: 011	100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Crush	K	3	01.21: 002, 013, 018, 023, 026, 027 05.20: 001, 005, 016, 019, 022	41% Solution-Dyed Nylon, 41% Solution-Dyed Post-Industrial Recycled Nylon, 15% Polyester, 3% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cycle On	F	None	01.22: 009 05.20: 004	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Disc	I	2	01.22: 001,002, 003, 004, 005, 006, 007	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Ditto	M	2,5	01.22: 002,010 01.21: 003, 012 05.20: 009 04.19: 013	77% Post-Consumer Recycled Polyester, 23% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Divide	I	2	01.22: 001,002,003, 004, 005, 006, 007 01.21: 009 05.20: 008	45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Divide Crypton	L	2	01.22: 002,008 01.21: 001, 003, 004, 005, 006, 007	45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Dwell	D	None	01.22: 010	68% Post-Industrial Recycled Polyester, 32% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Latex	No	Approved
Edges	P	None		66% Cotton, 30% Solution-Dyed Nylon, 4% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Ellipsis	J	None	05.20: 003, 007	100% Polyurethane	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Elm	E	None		100% Non-Phthalate Vinyl	POLYESTER	PROTECTIVE TOPCOAT	No	TB133 Burn Test Required
Embed	I	None	02.22: 018 07.21: 003, 016 05.21: 017 02.21: 005 01.21: 001, 006 12.20: 008, 014 10.20: 019 09.20: 010 07.20: 009, 013	46% Cotton, 30% Solution-Dyed Polyester, 17% Post-Industrial Recycled Cotton, 7% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Emboss	K	None	01.22: 008 05.20: 005, 006, 007 04.19: 001, 002, 003, 004, 009, 010, 011	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Emit	F	None		55% Post Industrial Recycled Polyester, 45% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Enmesh	H	2	07.21: 004 5.20: 005	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Equate	O	2	01.22: 003	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Exchange	H	2	01.22: 001,002,004,007,008 05.20: 006, 011	52% Post-Industrial Recycled Polyester, 48% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Fathom	M	1,2	<b>05.20:</b> 007 <b>04.19:</b> 008, 010	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Feature	O	2		100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Festoon	J	None		100% Non-Phthalate Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Firma	K	3		78% Wool, 22% Nylon	None	None	No	TB133 Burn Test Required
Flint	K	None		58% Polyester, 21% Post-Industrial Recycled Polyester, 15% Post-Consumer Recycled Polyester, 6% Polyolefin	None	Acrylic	No	TB133 Burn Test Required
Fluent Crypton	H	1	<b>01.22:</b> 017,019 <b>01.21:</b> 002, 020 <b>05.20:</b> 004, 008, 015, 016	52% Polyester, 31% Post-Industrial Recycled Polyester, 17% Post-Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Flurry	N	None		35% Cotton, 25% Polyester, 10% Acrylic, 10% Rayon, 10% Wool, 8% Linen, 2% Nylon	None	None	No	TB133 Burn Test Required
Frequency	H	None		85% Polyester, 15% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Gallant	H	3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	TB133 Burn Test Required
Gemma	J	3		85% Wool, 15% Nylon	NONE	NONE	NO	TB133 Burn Test Required
Gemma Multi	J	3		85% Wool, 15% Nylon	None	None	No	TB133 Burn Test Required
Gild	H	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Glen	D	None		48% Polyester, 34% Post-Industrial Recycled Polyester, 18% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Grove	M	1,2	<b>01.22:</b> 007	56% Post Industrial Recycled Polyester, 44% Post Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Gust	G	None		100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Hearth	L	None		32% Wool, 31% Acrylic, 30% Cotton, 7% Polyester	None	None	No	TB133 Burn Test Required
Houndstooth	T	2		72% Cotton, 28% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Imbue	M	None		70% Rayon, 30% Polyester	None	None	No	TB133 Burn Test Required
Instill	G	None		100% Polyurethane	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Jasper	I	3		55% Wool, 27% Solution-Dyed Nylon, 18% Cotton	PFAS-FREE WATER REPELLENT	Acrylic	No	TB133 Burn Test Required
Keen	C	None		61% Polyester, 39% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	Approved
Knot	O	3	<b>01.22:</b> 001,003,004 <b>01.21:</b> 006	51% Wool, 49% Acrylic	None	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Lariat	C	None		100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
League	F	None		100% Non-Phthalate Vinyl	Polyester	Protective Topcoat	No	TB133 Burn Test Required
Lean	G	None	<b>07.21:</b> 004	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Ledger	G	None	<b>05.20:</b> 022, 033, 035, 036, 039, 040 <b>04.19:</b> 034, 038	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Lens	M	2	<b>04.19:</b> 001, 003	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Levity	H	None		100% Polyester	None	None	No	TB133 Burn Test Required
Lift	R	2		100% Polyester	None	None	No	Approved
Linden	I	None		61% Polyester, 19% Viscose, 16% Acrylic, 4% Wool	PFOA-FREE STAIN RESISTANT	Acrylic	No	TB133 Burn Test Required
Lineage	I	1,2	<b>05.20:</b> 008 <b>04.19:</b> 001, 003, 004, 005, 001	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Link	O	2	<b>01.21:</b> 001, 002	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Lithe	L	2, 3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	Approved
Loop	F	2		48% Post-Industrial Recycled Polyester, 26% Polyester, 26% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Luce	J	3		75% Post-Consumer Recycled Wool, 20% Polyester, 5% Nylon	NONE	NONE	No	TB133 Burn Test Required
Lunar	F	2	<b>01.22:</b> 007,008, 013	57% Post Industrial Recycled Polyester, 43% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Manner	B	None	<b>01.22:</b> 008,015 <b>01.21:</b> 010, 019 <b>05.20:</b> 007, 009, 018, 021	65% Post-Industrial Recycled Polyester, 35% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Mantle	F	None		59% Post-Consumer Recycled Polyester, 37% Polyester, 4% Spandex	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Mechanism	O	2	<b>08.21:</b> 018, 019 <b>01.21:</b> 003, 014, 016	100% Polyester	None	None	No	Approved

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Medium	E	None	<b>01.22:</b> 013,051,052 <b>05.20:</b> 006, 054	100% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Meld	B	None	<b>Restricted due to Transparency:</b> 10 and 11	68% Post-Consumer Recycled Polyester, 32% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Meridian	K	2	<b>01.22:</b> 006 <b>05.20:</b> 007 <b>04.19:</b> 002	54% Cotton, 46% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Merit	E	None		76% Post-Consumer Recycled Polyester, 24% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Messenger	B	None	<b>01.21:</b> 006, 010, 052, 059, 068	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Metaphor	C	None		100% Polyester	None	Acrylic	No	TB133 Burn Test Required
Metric	B	None	<b>01.21:</b> 005, 007, 009, 015, 019 <b>05.20:</b> 004, 006, 008	51% Post-Industrial Recycled Polyester, 49% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Mexidot by Alexander Girard, 1963	L	2.00		100% Post-Consumer Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Micro	F	None	<b>05.20:</b> 005 <b>04.19:</b> 010	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Milestone	C	None	<b>05.20:</b> 029, 062, 077	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Mimic	L	None	<b>05.20:</b> 012 <b>04.19:</b> 013, 014	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Mineral	H	3	<b>08.21: 004</b> <b>01.21:</b> 002, 003, 005, 006, 007, 008, 014 <b>07.10.20</b> Color 018 discontinued immediately due to unforeseen closure <b>05.20:</b> 016, 017 <b>04.19:</b> 001, 009, 010, 011, 012, 013, 015	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Mode - colors that are not available in Grade 5	C	None		80% Post Consumer Recycled Polyester, 20% Polyester	PFOA-Free Stain Resistant	None	No	Approved



Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Motley	H	2	01.22:002,003,004,005,006,007,008,010 07.21: 001 01.21: 009	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	Varies by color	TB133 Burn Test Required
Multiply	H	2		57% Post-Consumer Recycled Polyester, 43% Post Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Murmur	B	None		100% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Muse	B	None	Restricted Due to Transparency: 005, 007, 011	100% Post-Consumer Recycled Polyester	None	None	No	TB133 Burn Test Required
Nico	F	3		63% Wool, 21% Polyester, 16% Nylon	None	None	No	TB133 Burn Test Required
Nimble	I	None		100% Polyurethane/Silicone	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Note	F	None		90% Polyester, 10% Post-Consumer Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Offset	S	2,3,5		40% Cotton, 36% Solution-Dyed Nylon, 24% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Orbit	H	2		52% Post-Consumer Recycled Polyester, 46% Polyester, 2% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Pallet	D	None		100% Non-Phthalate Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Pepitas by Alexander Girard, 1952	L	None		52% Polyester, 31% Post-Consumer Recycled Polyester, 17% Solution-Dyed Nylon	None	Acrylic	No	TB133 Burn Test Required
Pepper	G	None		49% Polyester, 41% Post-Industrial Recycled Polyester, 10% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Petra	K	3		70% Wool, 19% Linen, 11% Nylon	None	None	No	TB133 Burn Test Required
Pick	H	2	01.22: 002,004	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Pick Crypton	K	2	04.19: 002, 004, 006, 010	100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Pinnacle	Q	2		47% Post-Industrial Recycled Polyester, 27% Nylon, 26% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Pitch	G	None	01.22: 020 07.21: 005, 009 09.20: 001, 002, 008, 010, 022, 027, 028 05.20: 008, 013 04.19: 003, 006, 023, 025	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Plait	J	2	01.22: 002, 006 01.21: 004, 007 04.19: 003	53% Post-Industrial Recycled Polyester, 32% Polyester, 15% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Pocket	N	2	01.22: 006 05.20: 002, 004	56% Post-Consumer Recycled Polyester, 24% Solution-Dyed Nylon, 20% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Prime	J	None		100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Prompt	G	None		100% Polyurethane	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Province	I	None		52% Post-Industrial Recycled Polyester, 28% Post-Consumer Recycled Polyester, 20% Polyester	None	None	No	TB133 Burn Test Required
Rail	I	None		84% Post-Consumer Recycled Polyester, 16% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Range	L	None		63% Solution-Dyed Polyolefin, 37% Solution-Dyed Acrylic	None	None	No	TB133 Burn Test Required
Reel	Q	2	01.21: 006, 009 05.20: 001	43% Solution-Dyed Nylon, 36% Cotton, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Regatta	L	2	05.20: 003, 005	65% Solution-Dyed Acrylic, 35% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Relay	P	2		100% Polyester	None	Polyester	No	TB133 Burn Test Required
Rill	L	2	01.22: 002	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Roman	L	3		70% Post-Consumer Recycled Wool, 15% Polyester, 10% Nylon, 5% Cellulose	None	Cotton	No	TB133 Burn Test Required
Roster	I	2		68% Post-Consumer Recycled Polyester, 32% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Route	G	None		100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Rove	F	2	01.22:001,002,007,008,011,012,014,016 01.21: 003, 004, 006, 013 03.20: 005, 009 04.19: 010, 015, 017	100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Rule	P	2	01.22: 006 05.20: 005	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Runner	Q	1,2	01.22: 002	57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Runner Standard	L	2	01.22: 008,011	57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Scuba	H	None	05.20: 004, 018	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Scute	O	2	01.22: 001 07.21: 006, 011 01.21: 005 07.20: 002, 004	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Scuttle	H	None	07.22: 011 07.21: 001	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Sequence	K	2	01.22: 008 05.20: 002	100% Solution-Dyed Polyolefin	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Sendal	K	2		54% Polyester, 46% Post-Consumer Recycled Polyester	PFAS-FREE WATER REPELLENT	Acrylic	No	TB133 Burn Test Required
Shadow	H	None		41% Post-Consumer Recycled Polyester, 37% Post-Industrial Recycled Polyester, 22% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Sheen	I	None	04.19: 001, 006, 008, 012, 013, 014, 015	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Sift	N	None		43% Cotton, 33% Polyester, 9% Rayon, 8% Linen, 7% Nylon	None	None	No	TB133 Burn Test Required
Skein	H	None	01.22: 001,004,011 05.20: 005	56% Post-Consumer Recycled Polyester, 44% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Soft Tweed	N	None	05.20: 001, 006, 007	44% Linen, 22% Cotton, 20% Acrylic, 8% Bamboo Viscose, 6% Nylon	None	None	No	TB133 Burn Test Required
Sort	F	None	07.20: 009	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Span	L	2, 3	01.22: 007	50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	Approved

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Splay	G	None		100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Spry	F	2	02.22: 007 07.21: 001, 004 06.21: 002 05.21: 005 01.21: 008	100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Stature	G	None	04.19: 006, 012	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Steady	H	5	01.22: 005,006,007,012 01.21: 001 05.20: 008 03.20: 002 04.19: 003, 010	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Steady Crypton	K	1	01.21: 001, 011 05.20: 004, 005 03.20: 002 04.19: 010	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Strum	I	None	05.20: 005, 009 04.19: 003	100% Polyurethane	None	Polyester/ Cotton	Varies by color	TB133 Burn Test Required
Sundry	L	None		30% Post-Consumer Recycled Polyester, 20% Solution-Dyed Nylon, 18% Rayon, 16% Polyester, 16% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Switch	I	None		100% Polyester	None	None	No	TB133 Burn Test Required
Swivel	Q	2		42% Polyester, 29% Cotton, 29% Rayon	Crypton	Crypton	No	TB133 Burn Test Required
Tend	I	None		55% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon, 19% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Terra	M	3		90% Wool, 10% Nylon	NONE	NONE	No	TB133 Burn Test Required
Tilt	P	2	01.22: 002,005,006,007,008 05.20: 001, 003, 004	56% Cotton, 35% Polyester, 9% Rayon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trait	I	3,5	01.21: 020 05.20: 009, 016 04.19: 001, 019, 022, 023	50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Transmit	C	0	Restricted Due to Transparency: 001,002, 003	48% Polyester, 31% Post-Industrial Recycled Polyester, 21% Post-Consumer Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Transport	N	None	04.19: 003, 004	48% Rayon, 32% Polyester, 20% Linen	PFOA-Free Stain Resistant	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Trees	N	2	01.22: 002,006 05.20: 001, 003, 004, 005, 007, 008, 009	55% Cotton, 28% Nylon, 17% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trellis	K	None		50% Solution-Dyed Nylon, 50% Solution Dyed Post Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trio	M	2	04.19: 003, 005, 006	76% Cotton, 24% Solution-Dyed Nylon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Trundle	C	None		59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Turret	F	None		70% Post-Consumer Recycled Polyester, 30% Polyester	PFAS-Free Water Repellent	Acrylic	No	TB133 Burn Test Required
Twice	L	2	01.22: 005	48% Polyester, 23% Rayon, 15% Cotton, 9% Post-Industrial Recycled Polyester, 5% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Valor	M	3		85% Wool, 15% Nylon	None	None	No	TB133 Burn Test Required
Veer	F	None		43% Post-Industrial Recycled Polyester, 34% Polyester, 23% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Vestige	T	2	01.22: 002,009,010 10.20: 008 08.20: 006 07.20: 005 05.20: 001, 003, 007	71% Polyester, 29% Rayon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Washi	N	None		55% Cotton, 22% Solution-Dyed Nylon, 15% Linen, 8% Post-Consumer Recycled Polyester	PFAS-FREE WATER REPELLENT	ACRYLIC	NO	TB133 Burn Test Required
Waver	I	3		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Wend	D	None		50% Polyester, 32% Post Industrial Recycled Polyester, 18% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Willow	H	None		61% Polyester, 39% Post-Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Wool Rib	N	None	05.20: 001, 007	38% Cotton, 29% Acrylic, 19% Wool, 7% Alpaca, 7% Nylon	None	None	No	TB133 Burn Test Required